

AMERICAN AUDIO



SENSE SERIES SPEAKERS™

User Manual

©2018 ADJ PRODUCTS, LLC all rights reserved. Information, specifications, diagrams, images, and instructions herein are subject to change without notice. ADJ and SENSE logos and identifying product names and numbers herein are trademarks of ADJ PRODUCTS, LLC. Copyright protection claimed includes all forms and matters of copyrightable materials and information now allowed by statutory or judicial law or hereinafter granted. Product names used in this document may be trademarks or registered trademarks of their respective companies and are hereby acknowledged. All non-ADJ PRODUCTS LLC brands and product names are trademarks or registered trademarks of their respective companies.

ADJ PRODUCTS, LLC and all affiliated companies hereby disclaim any and all liabilities for property, equipment, building, and electrical damages, injuries to any persons, and direct or indirect economic loss associated with the use or reliance of any information contained within this document, and/or as a result of the improper, unsafe, insufficient and negligent assembly, installation, rigging, and operation of this product.

ADJ Products, LLC USA World Headquarters

6122 S. Eastern Ave. | Los Angeles, CA 90040 USA

Tel: 800-322-6337 | Fax: 323-582-2941 | www.adj.com | support@americandj.com

ADJ Supply Europe B.V.

Junostraat 2 | 6468 EW Kerkrade | The Netherlands

Tel: +31 45 546 85 00 | Fax: +31 45 546 85 99 | www.americandj.eu | support@adj.eu

ADJ Products Group Mexico

Santa Ana 30 | Parque Industrial Lerma | Lerma Mexico 52000

Tel: +52 (728) 282.7070

DOCUMENT VERSION

An updated version of this user manual may be available online.

Please check www.adj.com for the latest revision/update or contact Customer Service.

Date	Document Version	Notes
08/07/18	2	Updated version.

CONTENTS

General Information	4
Limited Warranty (USA Only)	5
Safety Guidelines	6
Box Contents	8
Installation	9
Connections	10
Technical Specifications	11

GENERAL INFORMATION

INTRODUCTION

Please read and understand the instructions in this manual carefully and thoroughly before attempting to operate this speaker. These instructions contain important safety and use information.

UNPACKING

Every speaker has been thoroughly tested and has been shipped in perfect operating condition. Carefully check the shipping carton for damage that may have occurred during shipping. If the carton appears to be damaged, carefully inspect speaker for damage and be sure all accessories necessary to install and operate the speaker have arrived intact. In the event damage has been found or parts are missing, please contact our customer support team for further instructions. Please do not return this speaker to your dealer without first contacting customer support at the number listed below. Please do not discard the shipping carton in the trash. Please recycle whenever possible.

CUSTOMER SUPPORT

AMERICAN AUDIO provides a customer support line to provide set up help, answer any question should you encounter problems during your set up or initial operation, and for any service related issues. You may also visit us on the web at www.adj.com for any comments or suggestions.

AMERICAN AUDIO SERVICE USA - Monday - Friday 8:00am to 4:30pm PST

Voice: 800-322-6337

Fax: 323-532-2941

E-mail: support@americandj.com

AMERICAN AUDIO SERVICE EUROPE - Monday - Friday 08:30 to 17:00 CET

Voice: +31 45 546 85 30

Fax: +31 45 546 85 96

E-mail: support@adj.eu

AMERICAN AUDIO SERVICE MEXICO

Voice: +52 (728) 282 7070

WARRANTY REGISTRATION

Please complete and mail in the enclosed warranty card to validate your purchase. All returned service items, whether under warranty or not, must be freight pre-paid and accompany a return authorization (R.A.) number. The R.A. number must be clearly written on the outside of the return package. A brief description of the problem as well as the R.A. number must also be written down on a piece of paper and included in the shipping container. If the unit is under warranty, you must provide a copy of your proof of purchase invoice. Items returned without a R.A. number clearly marked on the outside of the package will be refused and returned at customer's expense. You may obtain a R.A. number by contacting customer support.

LIMITED WARRANTY (USA ONLY)

A. ADJ Products, LLC hereby warrants, to the original purchaser, ADJ Products, LLC products to be free of manufacturing defects in material and workmanship for a prescribed period from the date of purchase (see specific warranty periods below). This warranty shall be valid only if the product is purchased within the United States of America, including possessions and territories. It is the owner's responsibility to establish the date and place of purchase by acceptable evidence, at the time service is sought.

B. For warranty service you must obtain a Return Authorization number (RA#) before sending back the product—please contact ADJ Products, LLC Service Department at 800-322-6337. Send the product only to the ADJ Products, LLC factory. All shipping charges must be pre-paid. If the requested repairs or service (including parts replacement) are within the terms of this warranty, ADJ Products, LLC will pay return shipping charges only to a designated point within the United States. If the entire instrument is sent, it must be shipped in its original package. No accessories should be shipped with the product. If any accessories are shipped with the product, ADJ Products, LLC shall have no liability whatsoever for loss of or damage to any such accessories, or for the safe return thereof.

C. This warranty is void if the serial number has been altered or removed; if the product is modified in any manner which ADJ Products, LLC concludes, after inspection, affects the reliability of the product; if the product has been repaired or serviced by anyone other than the ADJ Products, LLC factory unless prior written authorization was issued to purchaser by ADJ Products, LLC; if the product is damaged because not properly maintained as set forth in the instruction manual.

D. This is not a service contract, and this warranty does not include maintenance, cleaning or periodic checkup. During the period specified above, ADJ Products, LLC will replace defective parts at its expense with new or refurbished parts and will absorb all expenses for warranty service and repair labor by reason of defects in material or workmanship. The sole responsibility of ADJ Products, LLC under this warranty shall be limited to the repair of the product, or replacement thereof, including parts, at the sole discretion of ADJ Products, LLC. All products covered by this warranty were manufactured after August 15, 2012, and bear identifying marks to that effect.

E. ADJ Products, LLC reserves the right to make changes in design and/or improvements upon its products without any obligation to include these changes in any products theretofore manufactured. No warranty, whether expressed or implied, is given or made with respect to any accessory supplied with products described above. Except to the extent prohibited by applicable law, all implied warranties made by ADJ Products, LLC in connection with this product, including warranties of merchantability or fitness, are limited in duration to the warranty period set forth above. And no warranties, whether expressed or implied, including warranties of merchantability or fitness, shall apply to this product after said period has expired. The consumer's and/or Dealer's sole remedy shall be such repair or replacement as is expressly provided above; and under no circumstances shall ADJ Products, LLC be liable for any loss or damage, direct or consequential, arising out of the use of, or inability to use, this product. This warranty is the only written warranty applicable to ADJ Products, LLC Products and supersedes all prior warranties and written descriptions of warranty terms and conditions heretofore published.

LIMITED WARRANTY PERIODS

American Audio Products = 1 Year (365 Days)

I M P O R T A N T N O T I C E !

THERE ARE NO USER SERVICEABLE PARTS INSIDE THIS SPEAKER. DO NOT ATTEMPT ANY REPAIRS YOURSELF; DOING SO WILL VOID THE WARRANTY. DAMAGES RESULTING FROM MODIFICATIONS TO THIS SPEAKER AND/OR THE DISREGARD OF SAFETY AND OPERATION INSTRUCTIONS IN THIS USER MANUAL VOIDS THE MANUFACTURES WARRANTY AND ARE NOT SUBJECT TO ANY WARRANTY CLAIMS AND/OR REPAIRS.

SAFETY GUIDELINES



This speaker has been designed for portable and permanent audio installation use in dry locations. Use of this speaker in or near wet and/or damp environments voids all manufacturers warranties. For proper operation, follow the guidelines described in this manual. Only qualified and certified personnel should perform installation of this speaker. Any modifications to any part of this speaker will void the original manufactures warranty and increase the risk of damage and/or personal injury. To guarantee a smooth operation, it is important to follow the guidelines in this manual. The manufacturer of this speaker will not accept responsibility for damages resulting from the misuse and/or disregard of the information printed in this manual.



This speaker falls under **PROTECTION CLASS 1**. It's essential this speaker be grounded properly. Only qualified personnel should perform all electrical connections.



DRY LOCATIONS ONLY!

DO NOT EXPOSE SPEAKER TO RAIN AND/OR MOISTURE!



TO REDUCE RISK OF ELECTRICAL SHOCK, DO NOT REMOVE ANY COVER. NO USER-SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL ONLY.

FCC STATEMENT

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC RADIO FREQUENCY INTERFERENCE WARNINGS & INSTRUCTIONS

This product has been tested and found to comply with the limits as per Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This device uses and can radiate radio frequency energy and, if not installed and used in accordance with the included instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this device does cause harmful interference to radio or television reception, which can be determined by turning the device off and on, the user is encouraged to try to correct the interference by one or more of the following methods:

- Reorient or relocate the device.
- Increase the separation between the device and the receiver.
- Connect the device into an electrical outlet on a circuit different from that which the radio receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

SAFETY GUIDELINES

1. This speaker is for PROFESSIONAL USE ONLY.
2. Read these INSTRUCTIONS and keep them in a safe place.
2. Heed all WARNINGS and follow all INSTRUCTIONS.
3. DO NOT use speaker near water and/or damp locations.
4. DO NOT position speaker close to any FLAMMABLE MATERIALS while operating.
5. DO NOT place any objects filled with liquid on or near the speaker such as vases or drink glasses.
6. DO NOT attempt installation and/or operation without knowledge how to do so. Consult a professional sound equipment installer for proper and safe speaker installation.
7. DO NOT shake speaker, avoid brute force when installing and/or operating.
8. Be sure to install this speaker in an area that will allow proper ventilation. Allow approximately 6 inches (152mm) behind the speaker cabinet for proper cooling. The speaker contains an internal power amplifier that produces heat during use.
9. DO NOT use solvents or glass cleaner to clean speaker. Clean only with a dry cloth.
10. ALWAYS disconnect speaker from amplifier before performing any cleaning.
11. DO NOT block any ventilation openings. Install in accordance with the manufacturer's instructions.
12. DO NOT install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
13. Protect the audio cable from being walked on or pinched particularly at the point they connect to the speaker.
14. Only use attachment/accessories specified by the manufacturer and listed in this guide.
15. Unplug the speaker from the amplifier during lightning storms and/or when unused for long periods of time.
16. DO NOT disassemble speaker, there are NO user serviceable parts inside. Refer all servicing to qualified service personnel. Servicing is required when the speaker has been damaged in any way, such as when liquid has been spilled and/or objects have fallen into the speaker, the speaker has been exposed to rain and/or moisture, does not operate normally, or has been dropped.
17. Water and Moisture: This product should be kept away from direct contact with liquids. The speaker shall not be exposed to dripping or splashing and that no objects filled with liquids, such as vases, shall be placed on the speaker.
18. DO NOT install this equipment in a confined or "boxed-in" space such as a bookcase or similar unit and maintain good ventilation conditions. The ventilation should not be impeded by covering the ventilation openings with items such as newspaper, tablecloths, curtains, etc.
19. Use the original packaging and materials to transport the speaker in for service.

BOX CONTENTS

SENSE 8

8" Speaker
(2) Speakon NL4 Female Jacks
1 3/8" Stand Pole Socket (stand/pole not included)
Power Cable
Use Guide

SENSE 12

12" Speaker
(2) Speakon NL4 Female Jacks
1 3/8" Stand/Pole Socket (stand/pole not included)
Power Cable
Use Guide

SENSE 15

15" Speaker
(2) Speakon NL4 Female Jacks
1 3/8" Stand/Pole Socket (stand/pole not included)
Power Cable
Use Guide

SENSE 15B

15" Subwoofer
(2) Speakon NL4 Female Jacks
Threaded (M20) Speaker Pole Socket (pole not included)
Power Cable
Use Guide

SENSE 18B

18" Subwoofer
(2) Speakon NL4 Female Jacks
Threaded (M20) Speaker Pole Socket (pole not included)
Power Cable
Use Guide

INSTALLATION

The **SENSE** series speakers provide versatile installation options. The **SENSE 8, 12,** and **15** speakers can be pole mounted on a standard speaker stand (not included), pole mounted on top of the **SENSE 15S** or **SENSE 18S** sub woofers using a threaded 1 3/8 (M20) sub speaker pole (not included).

Additionally, the **SENSE 8, 12,** and **15** speakers can be used as floor monitors.



*Speaker Stand and Sub Speaker Pole not included.

CONNECTIONS

Each speaker includes (2) Speakon NL4 Female Jacks.

AMERICAN AUDIO
sense 8
8-INCH PASSIVE SPEAKER

senseries

Model No.: SEN876 / 1162220001
Power Handling: 200W / 400W
Connector: 1+ / 1-
Impedance: 8 Ohm

PARALLEL INPUT

UPC No.

SERIAL No.

www.adj.com | www.adj.eu

Icons: Home, No Smoking, CE, Information

AMERICAN AUDIO
sense 12
12-INCH PASSIVE SPEAKER

senseries

Model No.: SEN126 / 1162240001
Power Handling: 300W / 600W
Connector: 1+ / 1-
Impedance: 8 Ohm

PARALLEL INPUT

UPC No.

SERIAL No.

www.adj.com | www.adj.eu

Icons: Home, No Smoking, CE, Information

AMERICAN AUDIO
sense 15
15-INCH PASSIVE SPEAKER

senseries

Model No.: SEN763 / 1162250002
Power Handling: 400W / 800W
Connector: 1+ / 1-
Impedance: 8 Ohm

PARALLEL INPUT

UPC No.

SERIAL No.

www.adj.com | www.adj.eu

Icons: Home, No Smoking, CE, Information

AMERICAN AUDIO
sense 15B
15-INCH SUBWOOFER

senseries

Model No.: SEN158 / 1162270002
Power Handling: 450W / 900W
Connector: 1+ / 1-
Impedance: 8 Ohm

PARALLEL INPUT

UPC No.

SERIAL No.

www.adj.com | www.adj.eu

Icons: Home, No Smoking, CE, Information

AMERICAN AUDIO
sense 18B
18-INCH SUBWOOFER

senseries

Model No.: SEN567 / 1162270003
Power Handling: 600W / 1200W
Connector: 1+ / 1-
Impedance: 8 Ohm

PARALLEL INPUT

UPC No.

SERIAL No.

www.adj.com | www.adj.eu

Icons: Home, No Smoking, CE, Information

TECHNICAL SPECIFICATIONS

Sense 8

Power Rating:	175W (Cont.) / 350W (PGM) / 700W Peak
Recommended Amp. Power:	280-420W @ 8Ω
Impedance:	8Ω
Nominal Dispersion (H x V):	90° x 60°
Frequency Response (-3dB):	88Hz - 20kHz
Frequency Range (-10):	75Hz - 21kHz
Crossover LF/RF Curve:	2800Hz 12dB /18dB Oct.
HF Driver:	1" Compression D
Woofers:	8"
Monitor Angle:	45°
Connection:	NL4 x 2
Dimensions:	9.8" (L) x 17.16" (W) x 9" (H) / 250 x 436 x 230mm
Weight:	22 Lbs. / 10 kgs

Sense 12

Power Rating:	350W (Cont.) / 700W (PGM) / 1400W Peak
Recommended Amp. Power:	560-840W @ 8Ω
Impedance:	8Ω
Nominal Dispersion (H x V):	75° x 50°
Frequency Response (-3dB):	59Hz - 20kHz
Frequency Range (-10):	51Hz - 21kHz
Crossover LF/RF Curve:	1800Hz 12dB /18dB Oct.
HF Driver:	1" Compression D
Woofers:	12"
Monitor Angle:	45°
Connection:	NL4 x 2
Dimensions:	14.17" (L) x 25" (W) x 12.8" (H) / 360 x 640 x 325mm
Weight:	40 Lbs. / 18 kgs

Sense 15

Power Rating:	400W (Cont.) / 800W (PGM) / 1600W Peak
Recommended Amp. Power:	640-760W @ 8Ω
Impedance:	8Ω
Nominal Dispersion (H x V):	75° x 50°
Frequency Response (-3dB):	52Hz - 20kHz
Frequency Range (-10):	42Hz - 21kHz
Crossover LF/RF Curve:	1800Hz 12dB /18dB Oct.
HF Driver:	1" Compression D
Woofers:	15"
Monitor Angle:	45°
Connection:	NL4 x 2
Dimensions:	17" (L) x 25" (W) x 14.5" (H) / 430 x 678 x 370mm
Weight:	48.5 Lbs. / 22 kgs

TECHNICAL SPECIFICATIONS

Sense 15B

Power Rating:	450W (Cont.) / 900W (PGM) / 1800W Peak
Recommended Amp. Power:	720-1180W @ 8Ω
Impedance:	8Ω
Frequency Response (-3dB):	45 - 200Hz
Frequency Range (-10):	40 - 2250Hz
Woofers:	15"
Sensitivity (Half Space):	102dB SPL
Connection:	NL4 x 2 135dB Peak
Dimensions:	17" (L) x 21.6" (W) x 21.6" (H) / 430 x 550 x 550mm
Weight:	58.5 Lbs. / 26.5 kgs

Sense 18B

Power Rating:	600W (Cont.) / 1200W (PGM) / 2400W Peak
Recommended Amp. Power:	960-1440W @ 8Ω
Impedance:	8Ω
Frequency Response (-3dB):	42 - 200Hz
Frequency Range (-10):	36 - 2250Hz
Woofers:	18" Long Excursion
Sensitivity (Half Space):	103dB SPL
Connection:	NL4 x 2 136dB Peak
Dimensions:	20.5" (L) x 25.6" (W) x 23.6" (H) / 520 x 650 x 600mm
Weight:	72.75 Lbs. / 33 kgs

Specifications subject to change without any prior written notice.

(page left blank)

