

L-PAD 8CX

8 CHANNEL MIXING CONSOLE WITH EFFECTS

DESCRIPTION

With four transparent sound mic inputs, three stereo line inputs and the 2tk in/ out, L-PAD8CX is the ideal tool for duo/trio gigs, speech, background music diffusion and parties. Two single-control compressors on mic channels help to handle even the more dynamic complex signals. The 99 preset Internal FX DSP allows the sound to be improved by adding accurate and warm effects. The super versatile L-PAD slot permits the optional L-PAD MP3 PLAYER, PLAYER/RECORDER or BLUETOOTH CONNECTION cards to be inserted for even more flexible use. Thanks to the accurate Italian design L-PAD8CX is easy to grab, transport and handle in all the situations.



FEATURES

- 4 mono INPUT + 3 stereo INPUT
- 2 Compressors (Ch. 1-2)
- Internal Digital Effects: 99 preset
- 1 FX send
- External PSU 18V~ 1000mA
- 3band/2band EQ

TECHNICAL SPECIFICATIONS

Electronic specifications Frequency Response: 10 Hz ÷ 55000 kHz

Inputs

Mic:	4
Gain Range:	0 dB ÷ -50 dB
Mic Inputs Impedance:	2 kohm
Low Cut:	75 Hz
Phantom Power +48V:	Yes
Mono Line:	5
Gain Selection:	15 dB ÷ -35 dB
Line Input Impedance:	10 kohm

Outputs

Main MIX:	1
Control Room:	Yes
FX Send:	1
AUX Output:	1
Phones:	1

Outputs specifications

Main Out Impedance:	120 ohm
Main Out Level:	22 dBu
Aux Out Impedance (ohm):	120 ohm
Aux Out Level:	22 dBu

Compressors RCF Compressors: On input 1 - 2

EQ Input Channels EQ: 2 Shelving 3

Auxiliary sends FX POST: 1

Internal Effects Send Effects: 99

Electrical specifications

Power supply:	External
Voltage requirements:	100 V - 240 V
Power consumption (MAX):	24 W

Standard compliance CE marking: Yes



Physical specifications	Cabinet/Case Material:	ABS
Size	Height:	74 mm / 2.91 inches
	Width:	257 mm / 10.12 inches
	Depth:	387 mm / 15.24 inches
	Weight:	2.67 kg / 5.89 lbs
Shipping informations	Package Height:	150 mm / 5.91 inches
	Package Width:	510 mm / 20.08 inches
	Package Depth:	310 mm / 12.2 inches
	Package Weight:	3.67 kg / 8.09 lbs

PART NUMBER

- **17140059**
L-PAD 8CX
240V, UK
EAN 8024530011567
- **17140053**
L-PAD 8CX
240V, AU
EAN 8024530011505
- **17140052**
L-PAD 8CX
100V, JP
EAN 8024530011499
- **17140038**
L-PAD 8CX
115V, US
EAN 8024530011307
- **17140031**
L-PAD 8CX
220-240V, EU
EAN 8024530011291