

SR110AA04

110"

700nits Android Digital Signage



Key Feature

- UHD Resolution
- Super Slim Even Bezel
- Aluminum Frame Light Weight Design
- 700nits High Brightness
- 50,000 Hrs 7×24 Operation
- Android 13
- Landscape & Portrait Installation Support
- TCP/IP RS232 CEC Control Support
- VESA Mounting Interface

Specification

Model SR110AA04

Display

Screen Size (Diagonal)	110 inch
Native Resolution	3840 (H) × 2160 (V)
Aspect Ratio	16 : 9
Brightness	700 cd/m ²
Contrast	≥ 1200:1
View Angle	178°(H) / 178°(V)
Display Color	16.7M
Response Time	8ms
Operation Time	7 × 24H
Surface	1% Haze
Life Time (Light Source)	50,000 Hrs (Typ.)

Interface

HDMI IN	×2 (HDMI1 ARC / HDMI 2)
USB	USB 3.0×1, USB 2.0(OTG)×1
AUDIO OUT	×1(3.5mm Earphone)
RS232	×1 (DB9)
RJ45	×1
TF/SIM Card	× 1

Configuration

CPU	A55*4, up to 1.9GHz
GPU	Multi-Core Mali-G52
RAM/Storage	4/32G (8/64G Optional)
OS	Android 13
LAN	10/100M
WIFI	802.11b/g/n(2.4G+5G)
Bluetooth	BT5.0
Built-In Speaker	10W× 2 (8Ω)

Power

Power supply	AC100-240V, 50/60Hz
Power consumption	700W
Stand by	0.6W

Environment


Operation Temperature	0°C~50°C
Operation Humidity	10%~85% RH
Storage Temperature	-20°C~60°C
Storage Humidity	5%~95% RH

Specification

Model	SR110AA04
Physical	
Color/Material	Black/Aluminum
Bezel Width(L/R/T/B)	9.9mm
Set Outline Dimension (W×H×D)	2466.6*1392.7*62.4mm
Package Dimension (W×D×H) Honeycomb	2680*1730*310mm
Set Weight	80KG
Packed Weight (1 Sets inside)	120KG
VESA Mounting	800×600mm
VESA Hole Size	8mm

Dimension Drawing

❖ SR110AA04



❖ Accessories Lists

No.	Parts	Qty	Specification
1	Power cord	1	1.5m
2	Remote controller	1	-
3	User Manual	1	-